

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| S1    | 160  | ((access\$3 isolat\$3 buffer) near3 (circuit transistor)) and (isolat\$3 near3 well) and (external\$2 with test\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 14:00 |
| S2    | 279  | 365/72.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:26 |
| S3    | 3282 | 365/201.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:30 |
| S4    | 493  | 365/175.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:31 |
| S5    | 890  | 365/177.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:40 |
| S6    | 500  | 257/499.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:40 |
| S7    | 350  | 257/544.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:40 |
| S8    | 10   | S1 and S3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 13:42 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S9  | 1  | (S2 or S4 or S5) and (S6 or S7)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 13:41 |
| S10 | 0  | S8 and S2   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 13:41 |
| S11 | 0  | S1 and S2   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 13:42 |
| S12 | 0  | (S2 or S4 or S5) and S3 and<br>(isolated near3 well)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 13:43 |
| S13 | 12 | (S2 or S4 or S5) and (isolated<br>near3 well)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:14 |
| S14 | 7  | S13 and (access isolat\$3 buffer)<br>near3 (transistor)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 13:43 |
| S15 | 37 | ((access\$3 isolat\$3 buffer) near3<br>(circuit transistor)) same (isolat\$3<br>near3 well) and (external\$2 with<br>test\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:22 |
| S16 | 28 | ((access\$3 isolat\$3 buffer) near3<br>(circuit transistor)) with (isolat\$3<br>near3 well) and (external\$2 with<br>test\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/10/07 14:23 |

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| L9    | 1    | ((access near3 circuit) and (first adj3 transistor) and (second adj3 transistor) and (isolat\$3 near3 well) and (first adj3 diode) and (second adj3 diode)).clm. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/10/07 16:40 |